


1: Example front page



Gear menu:

- * Configure block ABC
- * Edit standard sidebar
- * Edit front sidebar
- * Edit front page

(These options correspond to the containers wrapping the selected block.)

2: Edit block ABC

Block ABC

(is of type *view*)

Settings...

Settings...

Settings...

Now configuring:

[Front page](#) → [Front sidebar](#)
→ [Standard sidebar](#) →
Block ABC

Block ABC also used at:

- [Standard page](#) → [Front sidebar](#) → [Standard sidebar](#)
- [Another page](#) → [Another container](#)

Delete

Cancel

Save for all

Save as...

Links to containers/
/wrappers/blocks

Other templates
on the site where
this block appears.

See “Data selection”
for details about
settings.

Apply your changes
to all places where
this block appears.

Apply to settings in
this context only.
You will need to give
a new name.

3: Edit container “Standard sidebar”

Standard sidebar
(is of type *container*)

Block **Special cases**

[Block ABC](#)

- [ABC special](#)
- [Special 2](#)

- [ABC special](#)

Condition

[default](#)
[role = admin](#)
[role = admin](#)
[+ day = Friday](#)
[role = editor](#)

[Block DEF](#)

[default](#)

[Block XYZ](#)

[role = anon.](#)

Hide special cases

Add block...

Now configuring:

[Front page](#) → [Front sidebar](#)
→ Standard sidebar

Standard sidebar also used at:

- [User page](#) → [Sidebar first](#)
- [Another page](#) → [Another container](#)

Delete

Cancel

Save for all

Save as...

The container has any number of blocks. Drag and drop to reorder. Click to edit block settings.

Each block has any number of special cases. If special case conditions are met, the special case is displayed instead of its parent. When a block is dragged to special case indenting, it inherits all conditions from its parent. (Most blocks don't have special cases.)

4: Add block

Standard sidebar
(is of type container)

Block **Special**

[Block ABC](#)

- [ABC s](#)
- [Spe](#)
- [ABC s](#)

[Block DEF](#)

[Block XYZ](#)

Now configuring:

[Front page](#) → [Front sidebar](#)
→ Standard sidebar

Add block

Filter/search

Select type...

View: [Block ABC](#)

View: [ABC special](#)

Custom: [Special 2](#)

Custom: [Block DEF](#)

Custom: [Block XYZ](#)

Menu: [Main menu](#)

Menu: [Navigation](#)

Menu: [User menu](#)

Another category: [Another block instance](#)

...

Go to block builder

A list of all *pre-configured* blocks. Interface obviously inspired by Views.

More blocks can be build elsewhere. (By Views, menus, and what not.)

Cancel

Save as...

5: Block configuration (scenario “ctools contexts”)

Block ABC
(is of type View)

Category (view argument)

Top category

Title override

Top news stories

...

Now configuring:
[Front page](#) → [Front sidebar](#)
→ [Standard sidebar](#) →
Block ABC

Block ABC also used at:

- [Standard page](#) → [Front sidebar](#) → [Standard sidebar](#)
- [Another page](#) → [Another container](#)

When using contextual objects in configuration, the *explicitly loaded* objects of the matching type are available in a dropdown. Text input works as usual, and accepts [tokens] as well.

6: Block configuration (scenario “data selection”)

Block ABC
(is of type View)

Category (view argument)

node:field_category:0:tid

Data selection Direct input

Title override

Top news stories

Data selection **Direct input**

...

Now configuring:
[Front page](#) → [Front sidebar](#)
→ [Standard sidebar](#) →
Block ABC

Block ABC also used at:

- [Standard page](#) → [Front sidebar](#) → [Standard sidebar](#)
- [Another page](#) → [Another container](#)

Delete Cancel

Save for all Save as...

When using “direct input”, manual input may be combined with standard [tokens]. When using “data selection”, user is guided through available contextual data, including derivatives. (Obviously inspired by Rules.)