

http://saintteresatitusville.org/#overlay=admin/structure/v

File Edit View Favorites Tools Help

Find: feed Previous Next Options

Dashboard Content Structure Appearance People Modules Configuration Reports Help 0 / 1 Hello Admin Log out

Add content Find content

Block: Theming information

This section lists all possible templates for the display plugin and for the style plugins, ordered roughly from the least specific to the most specific. The active template for each plugin -- which is the most specific template found on the system -- is highlighted in bold.

saintteresa Change theme

- **Display output:** **views-view.tpl.php**, **views-view--today.tpl.php**, views-view--default.tpl.php, views-view--default.tpl.php, views-view--block.tpl.php, views-view--today--block.tpl.php
- **Style output:** **views-view-unformatted.tpl.php**, views-view-unformatted--today.tpl.php, views-view-unformatted--default.tpl.php, views-view-unformatted--default.tpl.php, views-view-unformatted--block.tpl.php, views-view-unformatted--today--block.tpl.php
- **Row style output:** **views-view-fields.tpl.php**, views-view-fields--today.tpl.php, views-view-fields--default.tpl.php, views-view-fields--default.tpl.php, views-view-fields--block.tpl.php, views-view-fields--today--block.tpl.php
- **Field Content: Month (ID: field_month):** **views-view-field.tpl.php**, views-view-field--field-month.tpl.php, views-view-field--today.tpl.php, views-view-field--today--field-month.tpl.php, views-view-field--block.tpl.php, views-view-field--block--field-month.tpl.php, views-view-field--today--block.tpl.php, views-view-field--today--block--field-month.tpl.php
- **Field Content: Day of the Week (ID: field_devotionday):** **views-view-field.tpl.php**, views-view-field--field-devotionday.tpl.php, views-view-field--today.tpl.php, views-view-field--today--field-devotionday.tpl.php, views-view-field--block.tpl.php, views-view-field--block--field-devotionday.tpl.php, views-view-field--today--block.tpl.php, views-view-field--today--block--field-devotionday.tpl.php
- **Field Content: Type (ID: type):** **views-view-field.tpl.php**, views-view-field--type.tpl.php, views-view-field--today.tpl.php, views-view-field--today--type.tpl.php, views-view-field--block.tpl.php, views-view-field--block--type.tpl.php, views-view-field--today--block.tpl.php, views-view-field--today--block--type.tpl.php
- **Field Content: Title (ID: title):** **views-view-field.tpl.php**, views-view-field--title.tpl.php, views-view-field--today.tpl.php, views-view-field--today--title.tpl.php, views-view-field--block.tpl.php, views-view-field--block--title.tpl.php, views-view-field--today--block.tpl.php, views-view-field--today--block--title.tpl.php
- **Field Content: Time (ID: field_devotiontime):** **views-view-field.tpl.php**, views-view-field--field-devotiontime.tpl.php, views-view-field--today.tpl.php, views-view-field--today--field-devotiontime.tpl.php, views-view-field--block.tpl.php, views-view-field--block--field-devotiontime.tpl.php, views-view-field--today--block.tpl.php, views-view-field--today--block--field-devotiontime.tpl.php

Ok

* Bold items are the view names that are active
 ** The first items are the default views

Default tpl file

```
1 <?php
2 /**
3  * @file views-view.tpl.php
4  * Main view template
5  *
6  * Variables available:
7  * - $classes_array: An array of classes determined in
8  *   template_preprocess_views_view(). Default classes are:
9  *   .view
10 *   .view-[css_name]
11 *   .view-id-[view_name]
12 *   .view-display-id-[display_name]
13 *   .view-dom-id-[dom_id]
14 * - $classes: A string version of $classes_array for use in the class attribute
15 * - $css_name: A css-safe version of the view name.
16 * - $css_class: The user-specified classes names, if any
17 * - $header: The view header
18 * - $footer: The view footer
19 * - $rows: The results of the view query, if any
20 * - $empty: The empty text to display if the view is empty
21 * - $pager: The pager next/prev links to display, if any
22 * - $exposed: Exposed widget form/info to display
23 * - $feed_icon: Feed icon to display, if any
24 * - $more: A link to view more, if any
25 *
26 * @ingroup views_templates
27 */
28 ?>
29 <div class="<?php print $classes; ?>">
30 <?php print render($title_prefix); ?>
31 <?php if ($title): ?>
32 <?php print $title; ?>
33 <?php endif; ?>
34 <?php print render($title_suffix); ?>
35 <?php if ($header): ?>
36 <div class="view-header" >
37 <?php print $header; ?>
38 </div>
39 <?php endif; ?>
40
41 <?php if ($exposed): ?>
42 <div class="view-filters" >
43 <?php print $exposed; ?>
44 </div>
45 <?php endif; ?>
46
47 <?php if ($attachment_before): ?>
48 <div class="attachment attachment-before" >
49 <?php print $attachment_before; ?>
50 </div>
51 <?php endif; ?>
52
53 <?php if ($rows): ?>
54 <div class="view-content" >
55 <?php print $rows; ?>
56 </div>
57 <?php elseif ($empty): ?>
58 <div class="view-empty" >
59 <?php print $empty; ?>
60 </div>
61 <?php endif; ?>
62
63 <?php if ($pager): ?>
64 <?php print $pager; ?>
65 <?php endif; ?>
66
67 <?php if ($attachment_after): ?>
68 <div class="attachment attachment-after" >
69 <?php print $attachment_after; ?>
70 </div>
71 <?php endif; ?>
72
73 <?php if ($more): ?>
74 <?php print $more; ?>
```

```
75 <?php endif; ?>
76
77 <?php if ($footer): ?>
78 <div class= "view-footer" >
79 <?php print $footer; ?>
80 </div>
81 <?php endif; ?>
82
83 <?php if ($feed_icon): ?>
84 <div class= "feed-icon" >
85 <?php print $feed_icon; ?>
86 </div>
87 <?php endif; ?>
88
89 </div><?php /* class view */ ?>
90
```

human_name (String, 5 characters) Today

core (String, 1 characters) 7

api_version (NULL)

disabled (NULL)

editing (Boolean) FALSE

args (Array, 0 elements)

use_ajax (Boolean) FALSE

result (Array, 17 elements)

0 (Object) stdClass

nid (String, 2 characters) 92

node_type (String, 6 characters) masses

node_title (String, 9 characters) Wednesday

field_data_field_devotiontime_field_devotiontime_value (NULL)

field_data_field_month_node_entity_type (String, 4 characters) node

field_data_field_devotionday_node_entity_type (String, 4 characters) node

field_data_field_devotiontime_node_entity_type (String, 4 characters) node

field_data_body_node_entity_type (String, 4 characters) node

_field_data (Array, 1 element)

field_field_month (Array, 0 elements)

field_field_devotionday (Array, 0 elements)

field_field_devotiontime (Array, 0 elements)

field_body (Array, 1 element)

1 (Object) stdClass

2 (Object) stdClass

3 (Object) stdClass

4 (Object) stdClass

5 (Object) stdClass

6 (Object) stdClass

7 (Object) stdClass

8 (Object) stdClass

dsm(\$view);



dsm(\$row);

... (Object) stdClass

nid (String, 2 characters) 92

node_type (String, 6 characters) masses

*

node_title (String, 9 characters) Wednesday

* *

field_data_field_devotiontime_field_devotiontime_value (NULL)

field_data_field_month_node_entity_type (String, 4 characters) node

field_data_field_devotionday_node_entity_type (String, 4 characters) node

field_data_field_devotiontime_node_entity_type (String, 4 characters) node

field_data_body_node_entity_type (String, 4 characters) node

_field_data (Array, 1 element)

field_field_month (Array, 0 elements)

field_field_devotionday (Array, 0 elements)

field_field_devotiontime (Array, 0 elements)

field_body (Array, 1 element)

Krumo version 0.2.1a | <http://krumo.sourceforge.net>

Called from C:\Users\Caroline\Sites\StTeresa\sites\all\themes\saintteresa\templates\views-view--today.tpl.php, line 10

```

1 <?php
2 dsm($view);
3 print saintteresa_header();
4 $today = date("l");
5 $todayMonth = date("F");
6
7 foreach ($view->result as $row) {
8     $type = saintteresa_type($row); *
9     $title = saintteresa_title($row); * *
10    dsm($row);
11    if ($type == "masses") {
12        $body = saintteresa_body($row);
13        $day = saintteresa_massday($row);
14        if ($day == $today) {
15            print '<div class="today_subtitle">' . "Mass" . '</div>';
16            print $body;
17        }
18    } elseif ($type == "devotions") {
19
20        $month = saintteresa_month($row);
21        $time = saintteresa_time($row);
22        $day = saintteresa_day($row);
23        $body = saintteresa_body($row);
24
25        if (($month == $todayMonth) && ($day == $today)) {
26            print $title;
27            print $time;
28            print $body;
29        }
30    }
31 }
32 ?>


```

Debug tools

```

dsm($___);
dsm(get_defined_vars(
    ));

```



```

1 <?php
2
3 /**
4  * @file
5  * This file is empty by default because the base theme chain (Alpha & Omega) provides
6  * all the basic functionality. However, in case you wish to customize the output that Drupal
7  * generates through Alpha & Omega this file is a good place to do so.
8  *
9  * Alpha comes with a neat solution for keeping this file as clean as possible while the code
10 * for your subtheme grows. Please read the README.txt in the /preprocess and /process subfolders
11 * for more information on this topic.
12 */
13 function saintteresa_header () {
14
15   $d = date("I");
16   $saintteresa_header = '<div class="today_header"> ' ;
17   $saintteresa_header .= $d ;
18   $saintteresa_header .= '</div>';
19   return $saintteresa_header ;
20 }
21
22 function saintteresa_type ($row) {      ✖
23
24   Return ($row->node_type);
25 }
26
27 function saintteresa_title ($row) {     ✖ ✖
28   Return ('<div class="today_subtitle"> ' . $row->node_title . '</div>');
29 }
30
31 function saintteresa_time ($row) {
32   Return ('<div class="today_time"> ' . $row->field_field_devotiontime ['0']['rendered' ][ '#markup' ] . '</div>');
33 }
34
35 function saintteresa_day ($row) {
36   $today = date("I");
37   foreach ($row->field_field_devotionday as $inputday ) {
38     $devotionday = saintteresa_gettheday ($inputday);
39     if ($devotionday == $today) Return ($devotionday);
40   }
41   Return ("None" );
42 }
43
44 function saintteresa_month ($row) {
45   $todaymonth = date("F");
46
47   foreach ($row->field_field_month as $devotionmonth ) {
48     $month = saintteresa_getthemoth ($devotionmonth );
49     if ($todaymonth == $month) Return ($month);
50   }
51
52   Return ("None" );
53 }
54 }
55
56 function saintteresa_massday ($row) {
57   Return ($row->node_title );
58 }
59
60 function saintteresa_gettheday ($inputday ) {
61   Return ($inputday ['rendered' ][ '#markup' ] );
62 }
63 }
64
65 function saintteresa_getthemoth ($inputmonth ) {
66   Return ($inputmonth ['rendered' ][ '#markup' ] );
67 }
68 }
69 function saintteresa_body ($row) {
70   if (isset ($row->field_body ['0']['rendered' ][ '#markup' ] )) {
71     $body = $row->field_body ['0']['rendered' ][ '#markup' ] ;
72   }
73   else {
74     $body = " " ;

```

```

75 }
76 Return ('<div class="today_body">' . $body . '</div>');
77 }
78 function saintteresa_video_count ($row){
79     return ($row->field_field_video_part_number ['0']['rendered' ][ '#markup' ] );
80 }
81
82 function saintteresa_video_title ($row) {
83     return ($row->node_title );
84 }
85
86 function saintteresa_video_name ($row) {
87     return ($row->field_field_video_name ['0']['rendered' ][ '#markup' ] );
88 }
89
90
91 function saintteresa_video_year ($row) {
92     return ($row->field_field_year ['0']['rendered' ][ '#markup' ] );
93 }
94
95 function saintteresa_video_type ($row) {
96     foreach ($row as $row1) {
97         return ($row1->field_field_video_type ['0']['rendered' ][ '#markup' ] );
98     }
99 }
100 }
101
102 function get_twitter ($row) {
103     $twitter_account = $row->field_field_twitter_feed ['0']['raw' ][ 'safe_value' ];
104     $display_code = _stteresa_partner_twitter_block_generate ($twitter_account );
105     return ($display_code );
106 }
107 }
108
109 ?>
110

```



```

1 <?php
2 /**
3  * This template is used to print a single field in a view. It is not
4  * actually used in default Views, as this is registered as a theme
5  * function which has better performance. For single overrides, the
6  * template is perfectly okay.
7  *
8  * Variables available:
9  * - $view: The view object
10 * - $field: The field handler object that can process the input
11 * - $row: The raw SQL result that can be used
12 * - $output: The processed output that will normally be used.
13 *
14 * When fetching output from the $row, this construct should be used:
15 * $data = $row->{$field->field_alias}
16 *
17 * The above will guarantee that you'll always get the correct data,
18 * regardless of any changes in the aliasing that might happen if
19 * the view is modified.
20 */
21 global $savedate; ?>
22
23 <a href=" <?php print $row->aggregator_item_link; ?>" target="_blank">
24 <?php $str = $row->aggregator_item_description;
25     $strpos = strpos ($str, "<br />");
26     $str2 = substr($str, 0, $strpos );
27     $strdate1 = strpos ($str2, "-");
28     $strdate2 = strrpos ($str2, "-");
29     $date = substr($str2, $strdate1+2, $strdate2-$strdate1-2);
30
31     /* Process the date and print a header when date changes
32     */
33
34     if (strcmp($date, $savedate) != 0) {
35         $dateprint = '<div class="date_header">'.$date.'</div>';
36         $savedate = $date;
37         print $dateprint;
38     }
39     $nodate = substr_replace($str2, '-', $strdate1+1, $strdate2-$strdate1+1);
40     print $nodate; ?>
41 </a>

```

Sample tpl

[Edit]	[Export]	[Clone]	7/30/2012	
Men's Support - 7:30 PM to 9:30 PM				
7/31/2012				
Mindfulness Meditation - 8:15 AM to 9:15 AM				
Maverick Mosaics - 9:30 AM to 4:00 PM				
Membership planning mtg - 7:00 PM to 8:00 PM				
Global Affairs Discussion Group - 7:30 PM to 9:30 PM				
8/1/2012				
Mindfulness Meditation - 8:15 AM to 9:15 AM				
Maverick Mosaics - 9:30 AM to 4:00 PM				
Private Ritual - 6:00 PM to 9:00 PM				
Equality UUCF - 7:15 PM to 9:15 PM				
Men's Group - 7:30 PM to 9:00 PM				
Elementary Owl - 7:30 PM to 9:00 PM				
Healing Movement - 7:30 PM to 9:00 PM				
Massadoah - 7:30 PM to 9:00 PM				
8/2/2012				
Mindfulness Meditation - 8:15 AM to 9:15 AM				
Shepherd's Center Bridge Group - 9:00 AM to 12:00 PM				