



Modules [List](#) [Uninstall](#)

No information is available about potential new releases for currently installed modules and themes. To check for updates, you may need to [run cron](#) or you can [check manually](#). Please note that checking for available updates can take a long time, so please be patient.

Modules are plugins that extend Drupal's core functionality. Enable modules by selecting the *Enabled* checkboxes below and clicking the *Save configuration* button. Once a module is enabled, new [permissions](#) may be available. To reduce server load, modules with their *Throttle* checkbox selected are temporarily disabled when your site becomes extremely busy. (Note that the *Throttle* checkbox is only available if the Throttle module is enabled.)

It is important that [update.php](#) is run every time a module is updated to a newer version.

You can find all administration tasks belonging to a particular module on the [administration by module page](#).

To extend the functionality of your site, a number of [contributed modules](#) are available.

To clear all caches, click the button on the [Performance page](#).

See the [available updates](#) page for information on installed modules and themes with new versions released.

Administration

Enabled	Name	Version	Description
☒	Admin Role	6.x-1.3	Automatically assign all permissions to an admin role.

CCK

Enabled	Name	Version	Description
☒	Conditional Fields	6.x-2.0-beta2	Content fields and groups visibility based on the values of user defined 'trigger' fields. Depends on: Content (enabled)
☒	Content	6.x-2.8	Allows administrators to define new content types. Required by: Conditional Fields (enabled), Content Complete (enabled), Content Copy (disabled), Content Permissions (disabled), Content Profile Tokens (enabled), Content Taxonomy (enabled), Content Taxonomy Autocomplete (disabled), Content Taxonomy Options (disabled), Content Taxonomy Tree (disabled), Date (enabled), Date Tools (disabled), Embedded Media Field (enabled), Fieldgroup (enabled), FileField (enabled), Hierarchical Select Field Selector (enabled), ImageField (enabled), Link (enabled), Linodef (enabled), Node Reference (disabled), Number (enabled), OpenLayers CCK (enabled), Option Widgets (enabled), Text (enabled), User Reference (disabled), Embedded Audio Field (disabled), Embedded Image Field (disabled), Embedded Inline Media (disabled), Embedded Media Thumbnail (disabled), Embedded Video Field (enabled), Embedded Wave Field (disabled), FileField Meta (disabled), Hierarchical Select Content Taxonomy (disabled), ImageField Avatar (enabled), Linodef taglists (disabled), Linodef WYSIWYG (disabled), Media: YouTube (enabled), MediaFront Embedded Media Field (enabled), OpenLayers Geocoder (enabled), Linodef BUEditor (disabled)
☒	Content Complete	6.x-1.4	Configure CCK fields to be tagged as required to be complete. Display the percent of completion to the user via a block. Depends on: Content (enabled)
☐	Content Copy	6.x-2.8	Enables ability to import/export field definitions. Depends on: Content (enabled)

☐	Content Permissions	6.x-2.8	Set field-level permissions for CCK fields. Depends on: Content (enabled)
☒	Content Taxonomy	6.x-1.0-rc2	Defines a field type for taxonomy terms Depends on: Content (enabled), Taxonomy (enabled) Required by: Content Taxonomy Autocomplete (disabled), Content Taxonomy Options (disabled), Content Taxonomy Tree (disabled), Hierarchical Select Content Taxonomy (disabled)
☐	Content Taxonomy Autocomplete	6.x-1.0-rc2	Defines an autocomplete widget type for content_taxonomy Depends on: Content (enabled), Content Taxonomy (enabled), Taxonomy (enabled)
☐	Content Taxonomy Options	6.x-1.0-rc2	Defines an option widget type for content_taxonomy for selects, radios/checkboxes Depends on: Content (enabled), Content Taxonomy (enabled), Taxonomy (enabled), Option Widgets (enabled)
☐	Content Taxonomy Tree	6.x-1.0-rc2	Defines a dynamic tree widget for Content Taxonomy Depends on: Content (enabled), Content Taxonomy (enabled), Taxonomy (enabled), Taxonomy_manager (missing)
☒	Fieldgroup	6.x-2.8	Create display groups for CCK fields. Depends on: Content (enabled)
☒	FileField	6.x-3.7	Defines a file field type. Depends on: Content (enabled) Required by: FileField Meta (disabled), ImageField (enabled), ImageField Avatar (enabled)
☐	FileField Meta	6.x-3.7	Add metadata gathering and storage to FileField. Depends on: FileField (enabled), Getid3 (missing), Content (enabled)
☒	ImageField	6.x-3.7	Defines an image field type. Depends on: Content (enabled), FileField (enabled) Required by: ImageField Avatar (enabled)
☒	ImageField Avatar	6.x-1.1	Use imagefield/filefield for user pictures. Depends on: ImageField (enabled), Hierarchical Select Field Selector (enabled), Content (enabled), FileField (enabled), Hierarchical Select (enabled)
☒	Link	6.x-2.9	Defines simple link field types. Depends on: Content (enabled)
☐	Node Reference	6.x-2.8	Defines a field type for referencing one node from another. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)
☒	Number	6.x-2.8	Defines numeric field types. Depends on: Content (enabled)
☒	Option Widgets	6.x-2.8	Defines selection, check box and radio button widgets for text and numeric fields. Depends on: Content (enabled) Required by: Content Taxonomy Options (disabled), Node Reference (disabled), User Reference (disabled)
☒	Text	6.x-2.8	Defines simple text field types. Depends on: Content (enabled) Required by: Linodef (enabled), Node Reference (disabled), User Reference (disabled), Linodef taglists (disabled), Linodef WYSIWYG (disabled), Linodef BUEditor (disabled)
☐	User Reference	6.x-2.8	Defines a field type for referencing a user from a node. Depends on: Content (enabled), Text (enabled), Option Widgets (enabled)

Chaos tool suite

Enabled	Name	Version	Description
☐	Bulk Export	6.x-1.8	Performs bulk exporting of data objects known about by Chaos tools. Depends on: Chaos tools (enabled)
☒	Chaos tools	6.x-1.8	A library of helpful tools by Merlin of Chaos. Required by: Bulk Export (disabled), Custom rulesets (disabled), Chaos Tools (CTools) AJAX Example (disabled), Custom content panes (disabled), Chaos Tools (CTools) Plugin Example (disabled), Linodef taglists (disabled), OpenLayers (enabled), Page manager (enabled), Panels (enabled), Stylizer (disabled), Views content panes (enabled), Linodef BUEditor (disabled), Linodef WYSIWYG (disabled), OpenLayers CCK (enabled), OpenLayers Filters (disabled),

OpenLayers Geocoder ([enabled](#)), OpenLayers UI ([enabled](#)), OpenLayers Views ([enabled](#)), Panels In-Place Editor ([disabled](#)), Mini panels ([disabled](#)), Panel nodes ([disabled](#))

☐	Chaos Tools (CTools) AJAX Example	6.x-1.8	Shows how to use the power of Chaos AJAX. Depends on: Chaos tools (enabled)
☐	Chaos Tools (CTools) Plugin Example	6.x-1.8	Shows how an external module can provide ctools plugins (for Panels, etc.). Depends on: Chaos tools (enabled), Panels (enabled), Page manager (enabled), Advanced_help (missing)
☐	Custom content panes	6.x-1.8	Create custom, exportable, reusable content panes for applications like Panels. Depends on: Chaos tools (enabled)
☐	Custom rulesets	6.x-1.8	Create custom, exportable, reusable access rulesets for applications like Panels. Depends on: Chaos tools (enabled)
☒	Page manager	6.x-1.8	Provides a UI and API to manage pages within the site. Depends on: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled)
☐	Stylizer	6.x-1.8	Create custom styles for applications such as Panels. Depends on: Chaos tools (enabled)
☒	Views content panes	6.x-1.8	Allows Views content to be used in Panels, Dashboard and other modules which use the CTools Content API. Depends on: Chaos tools (enabled), Views (enabled)

Content Profile

Enabled	Name	Version	Description
☒	Content Profile	6.x-1.0	Use content types for user profiles. Required by: Content Profile User Registration (enabled), Content Profile Tokens (enabled)
☒	Content Profile Tokens	6.x-1.0	Add user tokens for content profiles. Depends on: Content Profile (enabled), Token (enabled), Content (enabled)
☒	Content Profile User Registration	6.x-1.0	Enable content profile features during user registration Depends on: Content Profile (enabled)

Core - optional

Enabled	Name	Version	Description
☐	Aggregator	6.19	Aggregates syndicated content (RSS, RDF, and Atom feeds).
☐	Blog	6.19	Enables keeping easily and regularly updated user web pages or blogs.
☐	Blog API	6.19	Allows users to post content using applications that support XML-RPC blog APIs.
☐	Book	6.19	Allows users to structure site pages in a hierarchy or outline.
☒	Color	6.19	Allows the user to change the color scheme of certain themes.
☒	Comment	6.19	Allows users to comment on and discuss published content. Required by: Forum (enabled), Tracker (disabled), Advanced Forum (enabled), Advanced Forum More Styles (enabled)
☐	Contact	6.19	Enables the use of both personal and site-wide contact forms.

☐	Content translation	6.19	Allows content to be translated into different languages. Depends on: Locale (enabled)
☒	Database logging	6.19	Logs and records system events to the database.
☒	Forum	6.19	Enables threaded discussions about general topics. Depends on: Taxonomy (enabled), Comment (enabled) Required by: Advanced Forum (enabled), Advanced Forum More Styles (enabled)
☒	Help	6.19	Manages the display of online help.
☒	Locale	6.19	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Date Locale (disabled), Content translation (disabled)
☒	Menu	6.19	Allows administrators to customize the site navigation menu. Required by: Devel (enabled), Hierarchical Select Menu (disabled)
☐	OpenID	6.19	Allows users to log into your site using OpenID.
☒	Path	6.19	Allows users to rename URLs. Required by: Pathauto (enabled)
☒	PHP filter	6.19	Allows embedded PHP code/snippets to be evaluated.
☐	Ping	6.19	Alerts other sites when your site has been updated.
☐	Poll	6.19	Allows your site to capture votes on different topics in the form of multiple choice questions.
☐	Profile	6.19	Supports configurable user profiles.
☒	Search	6.19	Enables site-wide keyword searching.
☒	Statistics	6.19	Logs access statistics for your site. Required by: MediaFront Statistics (disabled), Statistics advanced settings (enabled)
☐	Syslog	6.19	Logs and records system events to syslog.
☒	Taxonomy	6.19	Enables the categorization of content. Required by: Content Taxonomy (enabled), Content Taxonomy Autocomplete (disabled), Content Taxonomy Options (disabled), Content Taxonomy Tree (disabled), Drupal Wiki tagging suggestions (disabled), Forum (enabled), Hierarchical Select Taxonomy (disabled), MediaFront Tagging (disabled), Taxonomy Notifications (disabled), Tagging (enabled), Tagging opencalais suggestions (disabled), Tagging Service (disabled), Tagging full-vocabular suggestion (enabled), Advanced Forum (enabled), Advanced Forum More Styles (enabled), Hierarchical Select Content Taxonomy (disabled), Hierarchical Select Taxonomy Views (disabled), Tagging AlchemyAPI suggestions (disabled), Tagging vocab extractor suggestions (disabled)
☐	Throttle	6.19	Handles the auto-throttling mechanism, to control site congestion.
☐	Tracker	6.19	Enables tracking of recent posts for users. Depends on: Comment (enabled)
☐	Trigger	6.19	Enables actions to be fired on certain system events, such as when new content is created.
☒	Update status	6.19	Checks the status of available updates for Drupal and your installed modules and themes.
☐	Upload	6.19	Allows users to upload and attach files to content.

Core - required

Date/Time

Enabled	Name	Version	Description
☒	Calendar	6.x-2.2	Views plugin to display views containing dates as Calendars. Depends on: Views (enabled), Date API (enabled), Date Timezone (enabled) Required by: Calendar iCal (disabled), Calendar Popup (disabled)
☐	Calendar iCal	6.x-2.2	Adds ical functionality to Calendar views. Depends on: Views (enabled), Date API (enabled), Calendar (enabled), Date Timezone (enabled)
☐	Calendar -	6.x-2.2	Replaces the links to calendar items with a javascript popup that gracefully regresses if javascript is not enabled

	Popup		Depends on: Calendar (enabled), Views (enabled), Date API (enabled), Date Timezone (enabled)
☒	Date	6.x-2.6	Defines CCK date/time fields and widgets. Depends on: Content (enabled), Date API (enabled), Date Timezone (enabled) Required by: Date Tools (disabled)
☒	Date API	6.x-2.6	A Date API that can be used by other modules. Required by: Calendar (enabled), Calendar iCal (disabled), Date (enabled), Date Locale (disabled), Date PHP4 (disabled), Date Popup (enabled), Date Repeat API (disabled), Date Timezone (enabled), Date Tools (disabled), Calendar Popup (disabled)
☐	Date Locale	6.x-2.6	Allows the site admin to configure multiple formats for date/time display to tailor dates for a specific locale or audience. Depends on: Date API (enabled), Locale (enabled)
☐	Date PHP4	6.x-2.6	Emulate PHP 5.2 date functions in PHP 4.x, PHP 5.0, and PHP 5.1. Required when using the Date API with PHP versions less than PHP 5.2. Depends on: Date API (enabled)
☒	Date Popup	6.x-2.6	Enables jquery popup calendars and time entry widgets for selecting dates and times. Depends on: Date API (enabled), Date Timezone (enabled)
☐	Date Repeat API	6.x-2.6	A Date Repeat API to calculate repeating dates and times from iCal rules. Depends on: Date API (enabled)
☒	Date Timezone	6.x-2.6	Needed when using Date API. Overrides site and user timezone handling to set timezone names instead of offsets. Depends on: Date API (enabled) Required by: Calendar (enabled), Date (enabled), Date Popup (enabled), Calendar iCal (disabled), Date Tools (disabled), Calendar Popup (disabled)
☐	Date Tools	6.x-2.6	Tools to import and auto-create dates and calendars. Depends on: Content (enabled), Date (enabled), Date API (enabled), Date Timezone (enabled)

Development

Enabled	Name	Version	Description
☒	Demonstration site	6.x-1.4	Create snapshots and reset the site for demonstration or testing purposes. Required by: Demonstration site reset (disabled)
☐	Demonstration site reset	6.x-1.4	Allows to reset the site on cron runs and to reset the site WITHOUT CONFIRMATION . Only supposed to be used on public demonstration sites. Use at your own risk. Depends on: Demonstration site (enabled)
☒	Devel	6.x-1.22	Various blocks, pages, and functions for developers. Depends on: Menu (enabled)
☐	Devel generate	6.x-1.22	Generate dummy users, nodes, and taxonomy terms.
☐	Devel node access	6.x-1.22	Developer block and page illustrating relevant node_access records.
☐	Messaging debug	6.x-2.3	Debugging and development utilities for messaging package. Depends on: Messaging (disabled)
☐	Performance Logging	6.x-1.22	Logs detailed and/or summary page generation time and memory consumption for page requests.

Drupal Wiki

Enabled	Name	Version	Description
☐	Drupal Wiki taggin suggestions	6.x-2.5	Suggesting terms for the Tagging-Module based on the current content and a algorithm developed for Drupal Wiki Depends on: Taxonomy (enabled), Tagging (enabled)
This widget is replacing the default Drupal-Tagging-Interface with a more visual			

**Tagging**

6.x-2.5

driven one, to make tagging even easier. (by)

Depends on: Taxonomy ([enabled](#))

Required by: Drupal Wiki taggin suggestions ([disabled](#)), Tagging AlchemyAPI suggestions ([disabled](#)), Tagging opencalais suggestions ([disabled](#)), Tagging vocab extractor suggestions ([disabled](#)), Tagging full-vocabular suggestion ([enabled](#))

FileField Paths

Enabled	Name	Version	Description
☒	FileField Paths	6.x-1.4	Adds improved Token based file sorting and renaming functionalities. Depends on: Token (enabled)

Flags

Enabled	Name	Version	Description
☒	Flag	6.x-1.3	Create customized flags that users can set on content. Required by: Flag actions (disabled), Flag Note (enabled)
☐	Flag actions	6.x-1.3	Execute actions on Flag events. Depends on: Flag (enabled)
☒	Flag Note	6.x-1.1	Allows users to add notes while flagging content with the Flag module Depends on: Flag (enabled), Views (enabled)

Form Elements

Enabled	Name	Version	Description
☒	Hierarchical Select	6.x-3.6	Simplifies the selection of one or multiple items in a hierarchical tree. Required by: Hierarchical Select Content Taxonomy (disabled), Hierarchical Select Field Selector (enabled), Hierarchical Select Flat List (disabled), Hierarchical Select Menu (disabled), Hierarchical Select Small Hierarchy (disabled), Hierarchical Select Taxonomy (disabled), Hierarchical Select Taxonomy Views (disabled), ImageField Avatar (enabled)
☐	Hierarchical Select Content Taxonomy	6.x-3.6	Use Hierarchical Select as the widget for Content Taxonomy CCK fields. Depends on: Hierarchical Select (enabled), Content Taxonomy (enabled), Hierarchical Select Taxonomy (disabled), Content (enabled), Taxonomy (enabled)
☒	Hierarchical Select Field Selector	6.x-1.0	Form element to select content types and their fields. Depends on: Hierarchical Select (enabled), Content (enabled) Required by: ImageField Avatar (enabled)
☐	Hierarchical Select Flat List	6.x-3.6	Allows Hierarchical Select's dropbox to be used for selecting multiple items in a flat list of options. Depends on: Hierarchical Select (enabled)
☐	Hierarchical Select Menu	6.x-3.6	Use Hierarchical Select for menu parent selection. Depends on: Hierarchical Select (enabled), Menu (enabled)
☐	Hierarchical Select Small Hierarchy	6.x-3.6	Allows Hierarchical Select to be used for a hardcoded hierarchy. When it becomes to slow, you should move the hierarchy into the database and write a proper implementation. Depends on: Hierarchical Select (enabled)
☐	Hierarchical Select Taxonomy	6.x-3.6	Use Hierarchical Select for Taxonomy. Depends on: Hierarchical Select (enabled), Taxonomy (enabled) Required by: Hierarchical Select Content Taxonomy (disabled), Hierarchical Select Taxonomy Views (disabled)
	Hierarchical Select		Use Hierarchical Select for Taxonomy exposed filters in Views.

☐	Select Taxonomy Views	6.x-3.6	Depends on: Hierarchical Select (enabled), Hierarchical Select Taxonomy (disabled), Views (enabled), Taxonomy (enabled)
--------------------------	------------------------------	---------	---

ImageCache

Enabled	Name	Version	Description
☒	ImageAPI	6.x-1.9	ImageAPI supporting multiple toolkits. Required by: ImageCache (enabled), ImageCache UI (enabled), Imagecache Profile Pictures (enabled)
☒	ImageAPI GD2	6.x-1.9	Uses PHP's built-in GD2 image processing support.
☐	ImageAPI ImageMagick	6.x-1.9	Command Line ImageMagick support.
☒	ImageCache	6.x-2.0-beta10	Dynamic image manipulator and cache. Depends on: ImageAPI (enabled) Required by: Imagecache Profile Pictures (enabled), ImageCache UI (enabled)
☒	Imagecache Profile Pictures	6.x-1.3	Utilizes imagecache presets for user profile pictures. Depends on: ImageCache (enabled), ImageAPI (enabled)
☒	ImageCache UI	6.x-2.0-beta10	ImageCache User Interface. Depends on: ImageCache (enabled), ImageAPI (enabled)

Linodef

Enabled	Name	Version	Description
☒	Linodef	6.x-1.0-rc5	A filter module which provides tags to embed (parts of) Drupal elements and create corresponding links Depends on: Content (enabled), Text (enabled) Required by: Linodef taglists (disabled), Linodef BUEditor (disabled), Linodef WYSIWYG (disabled)
☐	Linodef BUEditor	6.x-1.0-rc5	Supportfunctions for BUEditor Buttons using Linodef filter Depends on: Linodef taglists (disabled), Bueditor (missing), Linodef (enabled), Chaos tools (enabled), Content (enabled), Text (enabled)
☐	Linodef taglists	6.x-1.0-rc5	Creates object lists with Linodef tags and provides a popup page and autocomplete form. Depends on: Linodef (enabled), Chaos tools (enabled), Content (enabled), Text (enabled) Required by: Linodef BUEditor (disabled), Linodef WYSIWYG (disabled)
☐	Linodef WYSIWYG	6.x-1.0-rc5	Supportfunctions for WYSIWYG Buttons using Linodef filter Depends on: Linodef taglists (disabled), Wysiwyg (missing), Linodef (enabled), Chaos tools (enabled), Content (enabled), Text (enabled)

Mail

Enabled	Name	Version	Description
☒	Block user messages	6.x-1.3	Allows users to block other users from sending them messages. Depends on: Private messages (enabled)
☒	Private messages	6.x-1.3	Allow private messages between users. Required by: Messaging Privatemsg (disabled), Block user messages (enabled), Privatemsg Email Notification (disabled), Privatemsg filter (disabled)
☐	Privatemsg Email Notification	6.x-1.3	Notifies users about new Private Messages via Email. Depends on: Private messages (enabled)
☐	Privatemsg filter	6.x-1.3	Allow users to filter messages using tags or other criteria.

☐	filter	0.x-1.0	Depends on: Private messages (enabled)
--------------------------	---------------	---------	--

Media

Enabled	Name	Version	Description
☐	Embedded Audio Field	6.x-2.3	Defines a field type for displaying third party music, podcasts, and other audio, such as podOmatic and Odeo. Depends on: Embedded Media Field (enabled), Content (enabled)
☐	Embedded Image Field	6.x-2.3	Defines a field type for displaying images from third party providers, such as Flickr or Photobucket. Depends on: Embedded Media Field (enabled), Content (enabled)
☐	Embedded Inline Media	6.x-2.3	Allows users to embed media into text-areas. Depends on: Embedded Media Field (enabled), Embedded Video Field (enabled), Content (enabled)
☒	Embedded Media Field	6.x-2.3	Provides an engine for modules to integrate various 3rd party media content providers. Depends on: Content (enabled) Required by: Embedded Audio Field (disabled), Embedded Image Field (disabled), Embedded Inline Media (disabled), Embedded Media Thumbnail (disabled), Embedded Video Field (enabled), Embedded Wave Field (disabled), Media: YouTube (enabled), MediaFront Embedded Media Field (enabled)
☐	Embedded Media Thumbnail	6.x-2.3	Allows custom thumbnails for Embedded Media Fields. Depends on: Embedded Media Field (enabled), Content (enabled)
☒	Embedded Video Field	6.x-2.3	Defines a field type for displaying third party videos, such as YouTube and Google Video. Depends on: Embedded Media Field (enabled), Content (enabled) Required by: Embedded Inline Media (disabled), Media: YouTube (enabled)
☐	Embedded Wave Field	6.x-2.3	Defines a field type for displaying waves from third party providers, such as Google or ... Depends on: Embedded Media Field (enabled), Content (enabled)
☒	Media: YouTube	6.x-1.2	Provides YouTube support to the Embedded Media Field module. Depends on: Embedded Media Field (enabled), Embedded Video Field (enabled), Content (enabled)

MediaFront

Enabled	Name	Version	Description
☒	MediaFront	6.x-1.0-beta4	A front end media solution for Drupal. Required by: MediaFront Audio (disabled), MediaFront CDN2 (disabled), MediaFront Embedded Media Field (enabled), MediaFront S3 (disabled), MediaFront Statistics (disabled), MediaFront Tagging (disabled), MediaFront User (disabled), Open Standards Media Player (enabled)

MediaFront : Players

Enabled	Name	Version	Description
☒	Open Standards Media Player	6.x-1.0-beta4	The Open Standards Media player plugin for the MediaFront module. Depends on: MediaFront (enabled)

MediaFront : Plugins

Enabled	Name	Version	Description
☐	MediaFront Audio	6.x-1.0-beta4	Provides support for the Audio module Depends on: MediaFront (enabled), Audio (missing)
☐	MediaFront CDN2	6.x-1.0-beta4	Provides support for the CDN2 Video module Depends on: MediaFront (enabled), Dash_media_player (missing), Cdn2 (missing)
☒	MediaFront Embedded Media Field	6.x-1.0-beta4	Provides support for the Embedded Media Field module Depends on: MediaFront (enabled), Embedded Media Field (enabled), Content (enabled)
☐	MediaFront S3	6.x-1.0-beta4	Provides Amazon S3 support for the MediaFront module Depends on: MediaFront (enabled), Flashvideo_s3 (missing)
☐	MediaFront Statistics	6.x-1.0-beta4	Provides media statistics to the MediaFront module such as play counter. Depends on: MediaFront (enabled), Statistics (enabled)
☐	MediaFront Tagging	6.x-1.0-beta4	Provides media tagging support Depends on: MediaFront (enabled), Taxonomy (enabled), Tagging Service (disabled), Services (missing)
☐	MediaFront User	6.x-1.0-beta4	Adds a way to track what the user is listening to or watching. Depends on: MediaFront (enabled), Token (enabled)

Messaging

Enabled	Name	Version	Description
☐	Messaging	6.x-2.3	Messaging system. This is the base module for the Messaging Framework Required by: Messaging debug (disabled), Simple Mail (disabled), Messaging Mime Mail (disabled), Messaging PHPMailer (disabled), Messaging Privatemsg (disabled), Simple messaging (disabled), SMS Messaging (disabled), Twitter Messaging (disabled), Messaging XMPP (disabled), Notifications (disabled), Notifications Autosubscribe (disabled), Content Notifications (disabled), Taxonomy Notifications (disabled), Notifications UI (disabled), Notifications Views (disabled)
☐	Messaging Mime Mail	6.x-2.3	Mail Sending Method: Integration with Mime Mail module (Beta) Depends on: Messaging (disabled), Mimetype (missing)
☐	Messaging PHPMailer	6.x-2.3	Mail Sending Method: Integration with PHPMailer for HTML Mail Depends on: Messaging (disabled)
☐	Messaging Privatemsg	6.x-2.3	Sending Method: Integration with Privatemsg (Beta) Depends on: Messaging (disabled), Private messages (enabled)
☐	Messaging XMPP	6.x-2.3	XMPP Sending Method: Integration with XMPP Framework Depends on: Messaging (disabled), Xmppframework (missing), Xmpp_user (missing)
☐	Simple Mail	6.x-2.3	Mail Sending Method: Integration with Drupal mail API Depends on: Messaging (disabled)
☐	Simple messaging	6.x-2.3	Sending Method: Show messages on user's page Depends on: Messaging (disabled)
☐	SMS Messaging	6.x-2.3	Sending Method: SMS Depends on: Messaging (disabled), Sms (missing)
☐	Twitter Messaging	6.x-2.3	Sending method for messaging that uses Twitter Depends on: Messaging (disabled), Twitter (missing)

Notifications

Enabled	Name	Version	Description
☐	Content Notifications	6.x-2.3	Allows users to subscribe to content related events. Depends on: Notifications (disabled), Messaging (disabled), Token (enabled) Required by: Notifications Autosubscribe (disabled), Taxonomy Notifications (disabled)

☐	Notifications	6.x-2.3	The basic notifications framework Depends on: Messaging (disabled), Token (enabled) Required by: Notifications Autosubscribe (disabled), Content Notifications (disabled), Notifications UI (disabled), Notifications Views (disabled), Taxonomy Notifications (disabled)
☐	Notifications Autosubscribe	6.x-2.3	Provides automatic notifications. Depends on: Notifications (disabled), Content Notifications (disabled), Messaging (disabled), Token (enabled)
☐	Notifications Lite	6.x-2.3	Extra Simple Notifications API. Enable only when required by other modules.
☐	Notifications UI	6.x-2.3	Provides an UI to notifications Depends on: Notifications (disabled), Messaging (disabled), Token (enabled)
☐	Notifications Views	6.x-2.3	Views integration for Notifications. Depends on: Views (enabled), Notifications (disabled), Messaging (disabled), Token (enabled)
☐	Taxonomy Notifications	6.x-2.3	Allows users to subscribe to taxonomy terms. Depends on: Content Notifications (disabled), Taxonomy (enabled), Notifications (disabled), Messaging (disabled), Token (enabled)

OpenLayers

Enabled	Name	Version	Description
☒	OpenLayers	6.x-2.0-alpha10	OpenLayers base API module Depends on: Chaos tools (enabled) Required by: OpenLayers CCK (enabled), OpenLayers Filters (disabled), OpenLayers UI (enabled), OpenLayers Views (enabled), OpenLayers Geocoder (enabled)
☒	OpenLayers CCK	6.x-2.0-alpha10	Provides CCK fields and widgets through an OpenLayers interface. Depends on: OpenLayers (enabled), Content (enabled), Chaos tools (enabled) Required by: OpenLayers Geocoder (enabled)
☐	OpenLayers Filters	6.x-2.0-alpha10	The OpenLayers Filters module provides input filters to allow for inline maps. Depends on: OpenLayers (enabled), Chaos tools (enabled)
☒	OpenLayers Geocoder	6.x-2.0-alpha5	Provides OpenLayers CCK widget with geocoding capabilities. Depends on: OpenLayers CCK (enabled), OpenLayers (enabled), Content (enabled), Chaos tools (enabled)
☐	OpenLayers Tests	6.x-2.0-alpha10	OpenLayers test module. There is no reason to install this.
☒	OpenLayers UI	6.x-2.0-alpha10	Provides a user interface to manage OpenLayers maps. Depends on: OpenLayers (enabled), Chaos tools (enabled)
☒	OpenLayers Views	6.x-2.0-alpha10	Provides OpenLayers Views plugins. Depends on: OpenLayers (enabled), Views (enabled), Chaos tools (enabled)

Other

Enabled	Name	Version	Description
☒	'me' Aliases	6.x-2.7	Provides links to current user's pages using 'me' instead of the numerical user id.
☒	Advanced Forum	6.x-1.1	Enables the look and feel of other popular forum software. Depends on: Forum (enabled), Author Pane (enabled), Taxonomy (enabled), Comment (enabled) Required by: Advanced Forum More Styles (enabled)
☒	Advanced Forum More Styles	6.x-1.0-alpha2	Additional Advanced Forum Styles Depends on: Advanced Forum (enabled), Forum (enabled), Author Pane (enabled), Taxonomy (enabled), Comment (enabled)
☒	Author Pane	6.x-2.0	Gathers information from core and user related contrib modules and displays it in a template. Required by: Advanced Forum (enabled), Advanced Forum More Styles (enabled)

☒	Automatic Nodetitles	6.x-1.2	Allows hiding of the content title field and automatic title creation.
☒	Better Formats	6.x-1.2	Enhances the core input format system by managing input format defaults and settings.
☒	Body Class	6.x-2.3	Adds a class to \$node->body
☒	CKEditor	6.x-1.2	Enables the usage of CKEditor (WYSIWYG) instead of plain text fields.
☒	jstooltips	6.x-1.8	Add tooltips to links using JQuery
☒	Lightbox2	6.x-1.11	Enables Lightbox2 for Drupal
☒	LoginToboggan	6.x-1.7	Improves Drupal's login system. Required by: LoginToboggan Rules Integration (disabled)
☐	LoginToboggan Rules Integration	6.x-1.7	Integrates LoginToboggan with Rules module Depends on: LoginToboggan (enabled), Rules (enabled)
☒	Masquerade	6.x-1.5	This module allows permitted users to masquerade as other users.
☒	Pathauto	6.x-1.5	Provides a mechanism for modules to automatically generate aliases for the content they manage. Depends on: Path (enabled), Token (enabled)
☒	Statistics advanced settings	6.x-1.5	Adds advanced settings and extra functionality to the Statistics module. Depends on: Statistics (enabled)
☒	Statistics Pro	6.x-2.3	Statistics for nodes, comments, users and lots more Depends on: Views (enabled)
☒	Submitted By	6.x-1.4	Customize the <i>Submitted by username on date</i> text on a per-nodetype basis. Depends on: Token (enabled)
☒	Token	6.x-1.15	Provides a shared API for replacement of textual placeholders with actual data. Required by: Content Profile Tokens (enabled), FileField Paths (enabled), MediaFront User (disabled), Notifications (disabled), Pathauto (enabled), Submitted By (enabled), TokenSTARTER (disabled), Token actions (disabled), Notifications Autosubscribe (disabled), Content Notifications (disabled), Taxonomy Notifications (disabled), Notifications UI (disabled), Notifications Views (disabled)
☐	Token actions	6.x-1.15	Provides enhanced versions of core Drupal actions using the Token module. Depends on: Token (enabled)
☐	TokenSTARTER	6.x-1.15	Provides additional tokens and a base on which to build your own tokens. Depends on: Token (enabled)
☒	Transliteration	6.x-3.0	Converts non-latin text to US-ASCII and sanitizes file names.

Panels

Enabled	Name	Version	Description
☐	Mini panels	6.x-3.8	Create mini panels that can be used as blocks by Drupal and panes by other panel modules. Depends on: Panels (enabled), Chaos tools (enabled)
☐	Panel nodes	6.x-3.8	Create nodes that are divided into areas with selectable content. Depends on: Panels (enabled), Chaos tools (enabled)
☒	Panels	6.x-3.8	Core Panels display functions; provides no external UI, at least one other Panels module should be enabled. Depends on: Chaos tools (enabled) Required by: Chaos Tools (CTools) Plugin Example (disabled), Panels In-Place Editor (disabled), Mini panels (disabled), Panel nodes (disabled)
☐	Panels In-Place Editor	6.x-3.8	Provide a UI for managing some Panels directly on the frontend, instead of having to use the backend. Depends on: Panels (enabled), jQuery UI (enabled), Chaos tools (enabled)

Registration

Enabled	Name	Version	Description
☒	Username AJAX check	6.x-1.5	Check username originality on registration or create user form via AJAX request. Depends on: User (enabled)

Rules

Enabled	Name	Version	Description
☒	Rules	6.x-1.3	Lets you define conditionally executed actions based on occurring events. Required by: LoginToboggan Rules Integration (disabled), Rules Administration UI (enabled), Rules Forms support (disabled), Rules Scheduler (disabled), Rules Simpletest (disabled)
☒	Rules Administration UI	6.x-1.3	Provides the administration UI for rules. Depends on: Rules (enabled)
☐	Rules Forms support	6.x-1.3	Provides events, conditions and actions for rule-based form customization. Depends on: Rules (enabled)
☐	Rules Scheduler	6.x-1.3	Schedule the execution of rule sets. Depends on: Rules (enabled)
☐	Rules Simpletest	6.x-1.3	Tests the functionality of the rule engine Depends on: Simpletest (missing), Rules (enabled)

Services - services

Enabled	Name	Version	Description
☐	Favorites Service	6.x-1.0-beta4	Provides a node favorites service. Depends on: Services (missing), Favorite_nodes (missing)
☐	Tagging Service	6.x-1.0-beta4	Provides a service that allows you to tag content in the Drupal system. Depends on: Services (missing), Taxonomy (enabled) Required by: MediaFront Tagging (disabled)
☐	Voting Service	6.x-1.0-beta4	Provides a voting service. Depends on: Services (missing), Votingapi (missing)

Spam control

Enabled	Name	Version	Description
☒	CAPTCHA	6.x-2.3	Base CAPTCHA module for adding challenges to arbitrary forms. Required by: Image CAPTCHA (enabled)
☒	Image CAPTCHA	6.x-2.3	Provides an image based CAPTCHA. Depends on: CAPTCHA (enabled)

Taxonomy

Enabled	Name	Version	Description
☐	Tagging AlchemyAPI suggestions	6.x-2.5	This plugin exposes suggestions based on the current node content (body) using AlchemyAPI natural language processing technology. Depends on: Tagging (enabled), Taxonomy (enabled)

☒	Tagging full-vocabular suggestion	6.x-2.5	This tagging module exposes all vocabulary terms of a the vocabulary as suggestions (no matter what is in the content). Depends on: Taxonomy (enabled), Tagging (enabled)
☐	Tagging opencalais suggestions	6.x-2.5	This tagging module exposes suggestions based on the current content (body) using the semantic opencalais service Depends on: Taxonomy (enabled), Tagging (enabled), Calais_api (missing)
☐	Tagging vocab extractor suggestions	6.x-2.5	This tagging module exposes terms-suggestions which are part of a vocabulary and could be found in the title, teaser, body and (cck) using the extractor plugin. (Synonyms are derived to their parent) Depends on: Tagging (enabled), Extractor (missing), Taxonomy (enabled)

User interface

Enabled	Name	Version	Description
☒	Compact Forms	6.x-1.2	Overlays form fields with their respective labels using JavaScript.
☒	External Links	6.x-1.11	Adds icon next to external links on the site.
☒	jQuery UI	6.x-1.4	Provides the jQuery UI plug-in to other Drupal modules. Required by: Panels In-Place Editor (disabled)
☒	More node buttons	6.x-1.0	Add an Cancel, Save and continue and an Save and create new button to node edit forms.
☐	Popups API	6.x-1.3	General dialog creation utilities Required by: Popups: Administration Links (disabled), Popups: Test Page (disabled)
☐	Popups: Administration Links	6.x-1.3	Uses the Popups API to add popups to various administration pages. Depends on: Popups API (disabled)
☐	Popups: Test Page	6.x-1.3	Test the Popups API. Depends on: Popups API (disabled)
☒	Vertical Tabs	6.x-1.0-rc1	Provides vertical tabs for supported forms like the node edit page.

Views

Enabled	Name	Version	Description
☒	Views	6.x-2.11	Create customized lists and queries from your database. Required by: Calendar (enabled), Calendar iCal (disabled), Flag Note (enabled), Hierarchical Select Taxonomy Views (disabled), Calendar Popup (disabled), Notifications Views (disabled), OpenLayers Views (enabled), Statistics Pro (enabled), Views attach (enabled), Views content panes (enabled), Views exporter (disabled), Views UI (enabled)
☒	Views attach	6.x-2.2	Provides new Views display types that can be attached to nodes or users. Depends on: Views (enabled)
☐	Views exporter	6.x-2.11	Allows exporting multiple views at once. Depends on: Views (enabled)
☒	Views UI	6.x-2.11	Administrative interface to views. Without this module, you cannot create or edit your views. Depends on: Views (enabled)

Webform

Enabled	Name	Version	Description
---------	------	---------	-------------



Webform

6.x-3.4

Enables the creation of forms and questionnaires.

Save configuration

