

Views

[Dashboard](#) » [Structure](#) » [Views](#)

Name ^{*}

Test View

Machine name: test_view [\[Edit\]](#)

This description will appear on the Views administrative UI to tell you what the view is about.

View Tag

Enter an optional tag for this view; it is used only to help sort views on the administrative page.

View type

☒

Node

Examples of Nodes are news, press releases or blog posts

☐

User

Users who have created accounts on your site.

☐

Term

Taxonomy terms are attached to nodes.

► [VIEW MORE OPTIONS](#)

The view type is the primary table for which information is being retrieved. The view type controls what arguments, fields, sort criteria and filters are available, so once this is set it **cannot be changed**.

Next



View *Test View*, displaying items of type **Node**.

[Export](#) [Clone](#) [View "Page"](#)

Defaults

Page

Block

Example of long long display name

long long display name

Block

feed display

long long display name

another Page

feed

views attachment

long long display name

[+ add new display](#)

Page Display the view as a page, with a URL and menu links.

Remove Display

View settings
Name: Page, Machine Name: page,
Path: archive, Menu: No menu


Data Sources
Type: Node
Relationships: Taxonomy: Node

Filters, sorting and arguments
Filters: Node: Published Yes,
Sort criteria: Node: Post date desc,
Arguments: Node: Created year + month
Style: List

Display settings
Style: Unformatted, Row style: Fields,
User Pager: Paged 10 items

Overview

Basic settings
Name: [Page](#)
Machine Name: [page](#)
Title: [Monthly archive](#)
Access: [Unrestricted](#)

Advanced settings
Use AJAX: [No](#)
Distinct: [No](#)
Use grouping: [No](#)
Caching: [None](#)
Exposed form in block: [No](#)
 Exposed form style: [Basic](#)

Page settings
Path: [archive](#)
Menu: [No menu](#)

Defaults: The name of this display

Test View

This title will appear only in the administrative interface for the View.


Update and override

Cancel

Save Analyze Cancel

Live preview

Display

Defaults 

Arguments

Separate arguments with a / as though they were a URL path.

Preview

• [April 2010 \(1\)](#)



View *Test View*, displaying items of type **Node**.

[Export](#) [Clone](#) [View "Page"](#)

Defaults

Page

Block

Example of long long display name

long long display name

Block

feed display

long long display name

another Page

feed

views attachment

long long display name

[+ add new display](#)

Page Display the view as a page, with a URL and menu links.

Remove Display

View settings
Name: Page, Machine Name: page,
Path: archive, Menu: No menu

Data Sources
Type: Node
Relationships: Taxonomy: Node

Filters, sorting and arguments
Filters: Node: Published Yes,
Sort criteria: Node: Post date desc,
Arguments: Node: Created year + month
Style: List

Display settings
Style: Unformatted, Row style: Fields,
User Pager: Paged 10 items

Overview

Base Data Type
Type: Node

Relationships [+ ↑↓](#)
Taxonomy: Node

[Save](#) [Analyze](#) [Cancel](#)

Live preview

Display

Defaults [↕](#)

Arguments

Separate arguments with a / as though they were a URL path.

Preview

• April 2010 (1)

View *Test View*, displaying items of type **Node**.

Export Clone View "Page"

Defaults

Page

Block

Example of long long display name

long long display name

Block

feed display

long long display name

another Page

feed

views attachment

long long display name

+ add new display

Page Display the view as a page, with a URL and menu links.

Remove Display

View settings

Name: Page, Machine Name: page, Path: archive, Menu: No menu

Data Sources

Type: Node Relationships: Taxonomy: Node

Filters, sorting and arguments

Filters: Node: Published Yes, Sort criteria: Node: Post date desc, Arguments: Node: Created year + month Style: List

Display settings

Style: Unformatted, Row style: Fields, User Pager: Paged 10 items

Overview

Filters

Node: Published Yes

Sort criteria

Node: Post date desc

Arguments

Node: Created year + month
⚙️ Style: List

Defaults: Configure filter Node: Published

This item is currently not exposed. If you **expose** it, users will be able to change the filter as they view it.

Published

Yes

No

Update and override

Cancel

Remove

Expose

Save Analyze Cancel

Live preview

Display

Defaults

Arguments

Separate arguments with a / as though they were a URL path.

Preview

• April 2010 (1)

View *Test View*, displaying items of type **Node**.

[Export](#) [Clone](#) [View "Page"](#)

Defaults

Page

Block

Example of long long display name

long long display name

Block

feed display

long long display name

another Page

feed

views attachment

long long display name

[+ add new display](#)

Page Display the view as a page, with a URL and menu links.

Remove Display

View settings

Name: Page, Machine Name: page, Path: archive, Menu: No menu

Data Sources

Type: Node Relationships: Taxonomy: Node

Filters, sorting and arguments

Filters: Node: Published Yes, Sort criteria: Node: Post date desc, Arguments: Node: Created year + month Style: List

Display settings

Style: Unformatted, Row style: Fields, User Pager: Paged 10 items

Overview

Header

None defined

Row Style

Style: Unformatted

Row style: *Fields*

Use pager: *Paged, 10 items*

CSS class: *None*

Theme: *Information*

Fields

Node: Comment count

Comment count

Node: Comment status

Comment status

Node: Delete link

Delete link

Node: Edit link

Edit link

Node: Has new content

Has new content

Node: Last comment author

Last comment author

Node: Last comment time

Last comment time

Node: Link

Link

Node: Post date

Post date

Node: Promoted to front page

Promoted to front page

Node: Published

Published

Node: Sticky

Sticky

Node: Title

Title

Node: Type

Type

Node: Updated date

Updated date

Node: Updated/commented date

Updated/commented date

Empty text

None defined

Footer

None defined

Defaults: How should this view be styled

Grid

HTML List

Table

Unformatted

If the style you choose has settings, be sure to click the settings button that will appear next to it in the View summary.

You may also adjust the [settings](#) for the currently selected style by clicking on the icon.

[Save](#) [Analyze](#) [Cancel](#)

Live preview

Display

Defaults

Arguments

Separate arguments with a / as though they were a URL path.

Preview

• April 2010 (1)